OFFICE OF THE PRINCIPAL BAMRA TRUST FUND COLLEGE, BAMRA, SAMBALPUR, 768221

"TENDER CALL NOTICE"

Sealed quotations are invited from registered Firms/ Vendors/ Distributors/ Suppliers/ Authorised dealers having valid GST registration and PAN/ TIN for supply and installation of IT equipments at the college premises as per Ref. No- 202469785168k Govt. of Odisha, Dept. of Higher Education dt. 05-03-2025. Interested entities are requested to submit their sealed quotations to the undersigned by speed post on or before dt. 20-06-2025 at 05:00 pm positively. The sealed quotation will be opened on dt. 21-06-2025 in the college office at 10:00 am.

The details of term and condition for tender are available in the college website www.bamracollege.org .

> Sd/- Principal, Bamra Trust Fund College, Bamra Contact No. - 9178054076, 9439754656

This is for your kind information and necessary action.

Yours faithfully

Bamra Trus Fund College

Bainra

Bamra T.F. College, Bamra

From: Principal Bamra T.F. College At/P.O.- Bamra - 768221 Dist.- Sambalpur (Odisha)



Estd.- 1983

Ph./Fax/Off .: (06642) 229280 e-mail: prinbamratfcollege@gmail.com Website: www.bamracollege.org

S.E.Rly.: Bamra

Registered under the Societies Regd. Act. XXI of 1860 No. SBL No. 542-126 of 1984-1985 Recognised under Section 2 (f) & 12 (B) of the U.G.C. Act 1956

Our Ref	
	$\mathcal{D}ate$
Your Ref.	

TENDER NOTICE

Sealed Limited Tenders are invited from intending Manufacturers/ Firms/ Suppliers/ Authorized Dealers having PAN & GST registration number for supply of Desktop, UPS, MFM Printer, LED TV & Wireless mice and Camera for College by Speed Post/ Registered Post/ Courier on or before dt. 20-06-2025 (Separate Tender & Documents must be submitted for different items). The above limited tender call notice as per finance and procurement guidelines of OGFR-2023, Govt. of Odisha. The undersigned reserves the rights to reject/ cancel any or all the quotations without specifying any reason thereof. The items shall be purchased from IT infrastructure Grant under D.H.E, Govt. of Odisha. The details of the requirements with specifications, term and conditions are available in the college website- www.bamracollege.org

Bamra Trust Fund College

Bamra T.F. College, Bamra

From:
Principal
Bamra T.F. College
At/P.O.- Bamra - 768221
Dist.- Sambalpur (Odisha)



Ph./Fax/Off .: (06642) 229280 e-mail: prinbamratfcollege@gmail.com Website: www.bamracollege.org

S.E.Rly.: Bamra

F.std.- 1983

Registered under the Societies Regd. Act. XXI of 1860
No. SBL No. 542-126 of 1984-1985
Recognised under Section 2 (f) & 12 (B) of the U.G.C. Act 1956

Our Ref	
Your Ref	Date

TENDER NOTICE

Sealed Limited Tenders are invited from intending Manufacturers/ Firms/ Suppliers/ Authorized Dealers having PAN & GST registration Number for supply of Desktop, UPS, MFM Printer, LED TV & Wireless mice and Camera for College. The above limited tender call notice as per finance and procurement guidelines of OGFR-2023, Govt. of Odisha. The undersigned reserves the rights to reject/ cancel any or all the quotations without specifying any reason thereof. The items shall be purchased from IT infrastructure Grant under D.H.E, Govt. of Odisha. The details of the requirements with specifications, term and conditions are given below:

Details List of Items Given Below

Betails Bist of Items Given Belevi				
Sl.	Services/ Goods to be	Quantity	Specification	
No.	Procured	×		
01	Desktop	06	13 th Gen. & above Desktop	
02	UPS	06	UPS with 03yrs onsite warranty	
03	MFM Printer	02	MFM Printer with 03yrs onsite warranty	
04	LED TV	01	LED TV (65 inch) with 03yrs onsite	
			warranty	
05	Wireless Mice & Camera	01	Installation with 03yrs onsite warranty	
	for Virtual Meeting	,		

NB: Details specification attach herewith.

Principal I/C

Bamra Trust Fund College

Bamra

Bamra T.F. College, Bamra

From: Principal Bamra T.F. College At/P.O.- Bamra - 768221 Dist.- Sambalpur (Odisha)



Ph./Fax/Off .: (06642) 229280 e-mail: prinbamratfcollege@gmail.com Website: www.bamracollege.org

S.E.Rly.: Bamra

Registered under the Societies Regd. Act. XXI of 1860 No. SBL No. 542-126 of 1984-1985 Recognised under Section 2 (f) & 12 (B) of the U.G.C. Act 1956

Our Ref	
Your Ref	Date

Terms and Conditions

- 1) Mode of Submission: Proposals complete in all respect should be submitted through Speed Post/Registered Post to the Office of the Principal Bamra Trust Fund College, Bamra At/Po- Bamra Dist - Sambalpur, PIN -768221 on or before dt. 20.06.2025 along with the cost of REP (request for proposal) that is Rs. 1000/- to be submitted along with the bid in shape of Demand Draft in favour of Principal Bamra Trust Fund College, Bamra payable at bearing the Account No.-11487331458 Bank of India Bamra Branch State IFSC Code - SBIN0002007.
- Earnest Money Deposit (EMD): EMD (also known as Bid Security) is to be submitted by the bidder along with the bid in shape of either account payee demand draft or Fixed Deposit receipt or bankers cheque or bank guarantee in favour of Principal Bamra Trust Fund College, Bamra payable at State Bank of India Bamra Branch bearing the Account No. -11487331458 IFSC Code - SBIN0002007.
- 3) The amount of EMD is to be submitted by bidder is 02% of the estimated value of the Procurement of the Bidder registered in MSME Govt. of Odisha are exempted from earnest money deposit.
- 4) The Bid Securities /EMD will be returned to the Unsuccessful bidders after expiry of the final bid validity period or within 07 working days from the date of the issue of the work order whichever is earlier without any interest and the EMD of the successful bidders will be returned without any interest after deposit of performance security which is 05% of bid value. However if so, desired it can be adjusted against part of performance security. The performance security deposit will be retained till completion of the warranty period .The return shall carry no interest.
- 5) The bidders have to furnish the following documents (as per relevance and estimated value) along with the bid proposal.
 - a) Seperate Tenders and Documents must be submitted for different items.
 - b) Filled in Format I & II.
 - c) GST Registration Certificate.
 - d) Authorisation Certificate from the Manufacturer.
 - e) PAN Card of the firm.
 - f) Income tax return of preceeding 03 financial years.
- Opening of Technical and Financial Bid the Technical proposal will be opened on 6) $21.06.\overline{2025}$ at 10.00 am and the financial bid wil be opened on dt. $21.06.\overline{2025}$ at 10.00 am .

Deskto	o Speci	fication
0 - 50	and the second	

Items	Specification
Cabinet Form Factor	Tower/Micro Tower (15.1 to 26 Litres)
Chipset Number	Intel H670/Intel® H770 or higher Chipset
Processor Make	Intel
Processor	x86 64-bit architecture
Processor Generation	13 Or higher
Processor Description	Intel Core i3 or higher
Processor Number	Intel Core i3 13100 or higher
Number of Cores and Threads per Processor	Max Turbo Frequency 4.5Ghz, Minimum 4 Cores and 8 Threads or higher
Operating System	Windows 11 Home Factory Preloaded
RAM Size (GB)	DDR-4 8GB 3200 (16 X1) or higher (2 DIIM Slots)
RAM Expandability up to (using spare DIMM Slots in GB)	64 GB or higher
Integrated Graphics	Intel UHO Graphics 770 or higher
Supported for discrete NVIDIA/AMD Graphics Card up to 6GB	Yes
Type of Drives used to populate the Internal Bays	NVMe SSD
Total HDD Capacity (GB)	NA
Total SSD Capacity (GB)	512GB NVMe SSD
Optical Drive	Optional
Drive Bays	Two 3.5" (2.5") HDD
Slots for Upgradation	1 PCI Express 4.0 x16, 1 PCI Express 3.0 x1, 1 PCI (Full Height), 2 M.2 slots for WLAN & SSD
LAN	LAN: Integrated 10/100/1000M
Ports and Connectors	Front: 1 headphone/microphone combo; 3 Super Speed USB 5Gbps signalling rate; 2 SuperSpeed USB 10 Gbps signalling rate; 1 USB Type-C, total 6nos USB in front for easy access Rear: 1 HDMI; 1 Serial Port; 1 line in; 1 line out; 1 power connector; 1 RJ-4S; 1 DP; 2 USB 2 0
Firmware Trusted Platform Module	TPM 2.0
Hardware Security lock slot	Security lock slot
Power Supply	180-260Watt Internal power supply with minimum 90% efficiency
	Bidder should submit OEM bid specific authorization & the same authorization may be verified by the respective OEM if required
	OEM must have the ISO 9001,14001, ISO 20001, ISO 27001 Certificate
Certification	Microsoft Windows, Energy star 8.0 certified
	Bidder should submit BIS, BEE, EPEAT, UL, RoHS Certificate of products at the time of participation of the Bid.
Ceyboard Mouse	USB Keyboard, USB Optical Mouse
Monitor	19.5" LED Display with CTO Certified and same must be belongs to the same OEM
Years of Warranty	3 Year Onsite Warranty

	200 AY Flue IVI	eractive UPS Specifications	
\$1. No.	Feature	General Specifications	
1	UPS Capacity (total)	600VA/360W	
2	Input Voltage	230 VAC naminal	
3	Input Frequency	45 - 65 Hz	
4	Brownout Transfer	145 VAC typical	
. 5	Over voltage Transfer	290 VAC typical	
6	Voltage on Battery	230 VAC typical (stepped approximated sine wave)	
7	Frequency - On Battery	SOHz typical	
8	Transfer Time	@50 Hz 6 ms typical, 10 ms max	
9	Air Ventilation	Should have Side and Back Honey bee Perforation for heat dispersion	
10	Protection from Humidity & Dust	UPS Should have conformal paint coating on PCB for Insulation for Dust and Humidity	
11	Battery Saver Option	UPS Should have Battery Saver Option to increase the life of the Battery upto 5 years	
12	No Load Shutdown	UPS Should work on loads of 2-3 watts also	
13	AC Surge Protection	Full time, 160 joules	
[4	Automatic Re start of UPS	in case the UPS backup is totally drained and automatic switched off, when the grid power resumes the UPS Should Auto Start without human interference.	
15	Type (maintenance-free)	12V. 7 2 Ah	
16	Typical recharge time	4 6 hours	
17	Operating Temperature	0°C to 40°C	
-18	Storage Temperature	-15°C to 45°C	
19	3 power outlets	With battery backup and surge protection	
20	Power Cord	1.2 meters	
21	Runtime for Single PC load (60W ± 15W)	27 min (normal mode)	
22	Runtime for Workstation PC (100W ±15W)	13 min (normal mode)	
23	Battery Saver (to save on battery life)	Thru toggle button on front panel	
24	Certification	BIS	
25	Designed and Manufactured in India	Yes	
26	Warranty	Zyeasis	

	Generic
Description of Stores	Multifunction Machine Printer with Minimum 1 Year On Site Warranty, including Cartridge and Power Cord/Adapter
Core Function	Print, Scan and Copy
Print Technology	Laser
Cartridge Technology	Composite Cartridge
Type of Printing	Monochrome (Black)
RAM Size (MB)	256
Storage Capacity (in GB)	0
Features	Fax
Operating System Compatibility	Windows 10 and Above, Linux, Mac OS, Windows Server
	Printing
Print Paper Size	A4 and Legal
Minimum Print Speed per	26 to 30
Minute as per ISO/IEC 24734 in A4 Size-Monochrome (Black) (in PPM)	
Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size- Mono (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size- Color (in PPM)	Not Applicable
Auto Duplexing Printing/Coping (2-sided Feature)	Yes
	Scanning
Maximum Scan Area (Platen/Flatbed Size)	A4 and Legal
A4 Scan Speed -Colour (Image Per Minute) @ 300 x 300 dpi	11 to 20
Scan To Functions	Email
A4 Scan Speed - Mono (Image Per Minute) @ 300 x 300 dpi	11 to 20
	COPYING
Reduction and Enlargement Feature	Yes

	PAPER HANDLING		
Original Document Feeder Type (For Scanning and Copying)	Automatic Document Feeders (ADF)		
Feeder Capacity (Number of Sheets) (For Scanning and Copying)	31 to 40		
Number of Main Paper Tray	1		
Total Paper Tray Combined Capacity (Number) at 75 GSM	101 to 200		
Bypass Tray Facility	No		
If Yes, Bypass Tray Capacity	0		
Connectivity			
Connectivity	USB Port,Ethernet Port,Wi-Fi		
Accessories Provided	USB Cable		
	Performance		
Cartridge/Ink/Toner supplied with Machine as per IS/ISO/IEC: 19752/2017 for Black (Number of Prints)			
Minimum Yield of the Cartridge/Ink/Toner Supplied with Machine as per IS/ISO/IEC: 19798:2017 for Cyan, Yellow and Magenta Color (Number of Prints)	0		
Minimum Duty Cycle (Number of Prints/Month)	10,001 to 20,000		
	POWER		
Power Supply	Single Phase AC 220 - 240 V, 50 - 60 Hz		
Maximum Power Consumption (in Watt)	1300		
Environmental			
Minimum Operating Temperature (Degree C)	10		
Maximum Operating Temperature (Degree C)	30		

Minimum Operating Humidity (%RH)	20
Maximum Operating Humidity (%RH)	80
	Dimension
Standard Machine Weight with Single Tray (in Kg)	11
egonoderljek veter et lederelje is det engeleg gjeretopraviter viter omlede iz. Mikk kappellegore, en viter-et besteregone	Certification
BIS CRS Compliance	Yes as per IS 13252 (Part 1)
Maximum Number of Prints covered under Product warranty (Whichever is earlier)	30000
EPR Registration in respect of the manufacturer/authorised importer as per E waste rules as amended up to date	Yes
Agreed to Provide a copy of EPR Registration Certificate to the Buyer on Demand	Yes

gen, man in in medicogy gligare in a reconstitutional property in a 12 griphic right containing more confind a containing	any and the second seco	
	Screen Size	65
	Brightness (cd/m²)	350Nits or better
	Contrast Ratio	1200:1
And the second s	Dynamic Contrast Ratio	400,000:1
General Features	Response Time (ms)	8.0
General reactors	Display resolution (H x V, pixels)	3840 x 2160
Name of the Control o	HDR (High Dynamic Range) compatibility	Yes (HDR10, HLG)
	Aspect Ratio	16.9
	Portrait/Tilt Compatibility	Yes
	Dimming type	Frame Dimming
		LCD
november and the	Display Device	IPS
-	Panel Type	Direct LED
***************************************	Backlight type	69%
Display features	Color gamut (NTSC)	
general constitution of the constitution of th	Operation time	16/7
	Haze (%)	1 %
ma nondermana special conductor	Viewing Angle (Right/Left)	178 (89/89) degree
	Viewing Angle (Up/Down)	178 (89/89) degree
	HDMI Signal	4096 x 2160p (24, 50, 60 Hz) 3840 x 2160p (24, 25, 30, 5 60 Hz), 1080p (30, 50, 60 Hz) 1080/24p, 1080i (50, 60 Hz), 720p (30, 50, 60 Hz), 720/24p, 576p, 576i 480p,480i
	Speaker Position	Down Firing
Audio Specs	Audio Power Output	10W • 10W
	Pro settings	Yes (Simple Pro settings mer
Professional	HDMI auto wake-up	Yes
features	Operating System	Android TV
	On-board Storage (GB)	16GB
	RAM	3G8
	Wi-Fi Certified	Yes
Network Specs	Wireless LAN	Integrated
		MPEG1:MPEG1/MPEG2
	USB playback codecs	PS:MPEG2/MPEG2
	O3B prayback codecs	WEBM:AV1/AC4/ogg/AAC
	On Screen Clock	Yes
Convenience		Yes
features	Sleep Timer	Yes
	On/Off Timer	Yes
	Chromecast built-in	
	Apple AirPlay	Yes
Bridge concept from the part of the control of the	IP Control	Yes
Control Specs	RS-232C Control	Yes
	HDMI-CEC	Yes
And the second s	носр	HDCP2.3 (for HDMI1/2/3)
	Composite Video Input (5)	1 (Side, Mini jack)

	HOMI inputs total	3 (35ide)
Inputs and outputs	Analog Audio Input (s) (Total)	1 (Side Analog Conversion)
	Digital Audio Output (s)	1 (Side)
	USB ports	2 (Side)
	Ethernet inputs	1 (Side)
Design leatures	VESA* Hole Pitch (W x H)	300 x 300 mm
	Rated Power Consumption	226W
Environment Specs	Power Consumption (in Standby)	0.5 W
control specs	Dynamic Backlight Control	Yes
	Power Saving Mode / Back Light Off Mode	Y 65
	Dimension of TV without Stand (W x H x D)	1462 x 842 x 71 mm
Measurements	Dimension of TV with Stand (W x H x D)	1462 × 912 × 338 mm
	Dimension of Package Carton (W x H x D)	1588 x 965 x 184 mm
	Weight of TV without Stand	20.4 kg
Weight	Weight of TV with Stand	21.3 kg
	Weight of Package Carton (Gross)	28 kg

-

*

Care sendustry buying com







88 Industrybuying

Q



Home | 11 Security | Computer Accessories | WEBCAM | Logitech Master Series Graphite M

Share <



ML ships within 5 days

Logitech Master Series Graphite MX Brio 4K Ultra Hd Web Camera, 960-001548

Visit the Log tech Store





Quantity 1

price per

prece(incl of of


tomes)

22198014

223740 5J

EMI starts of \$2202/month. No Cost EMI available EMI options





Select Quantity

224,779 (incl of all taxes)

\$20,999 - IEN OUT

same and server to dear and t

AVAILABLE OFFERS O First-time det users only TAC apply DEN

FEATURES

Focus Type

Package Contains

Greet up to \$4,000° are a min ardier value of \$1,49\$ Get up to \$3,500° on a min order value of \$8,498

First-time 828 week only 1&C opply

2-3 0 4-5 0

> £73,500 93 0 8-7 0 773 341 19

Country of Origin use-C to USE-C Cable Connectivity

Advanced Autolocus

Mx 8no, Mount Clip with Removable Adopter, USB-C to C 3.0 Cable, User

ADD TO CART

BUYNOW 0

6

Check Delivery Details

More Logitach WIBCAM prushicts MORE WIRCAM OFDOLICE



Warranty as per brand



Products



payments





Check

PREPAID

PARTCOO

Return period ?

BITURN

SPECIFICATIONS

DESCRIPTION

Country of Origin

Connectaty

Bw/trenand

USB-C to USB-C Cobie

Focus Type

Advanced Autofocus MX Bino, Mount Clip with Removable Adopter USB C to C 3.0 Coble. User Documentation

Package Contains

Dual Beamforming Ascrophone Type

WICHT

4z Digital Zaam

Type of Product

Web Camera

PORT NO

1-femoral I

Weight

137 9

ent Type

USB 3 D Organie

4E/30 tps, 1080p/80 tps

image Sensor

65 MP Sony STARVIS

Model No

960-001548









1/3

FORMAT 1: ORGANISATION'S DETAILS

SI. NO.	Particular	Details
1	Name of the Firm	
2	Type of Firm (Proprietary/ Partnership) Pvt. Ltd/ Public Ltd./ Sole Proprietorship	
3	Date of Establishment and Experience in business (in number of years)	
4	Registered Office Address & Complete Postal Address	
5	Telephone & e-mail id of authorized person	
6	G.S.T. Registration No.	
7	PAN No.	
8	Details of EMD i.e. Draft No., Date and Bank Name	
9	Details of RFP i.e. Draft No., Date and Bank Name	

Yours Faithfully,

Authorised Signatory of the firm with date and seal

FORMAT 2 : SELF DECLARATION FOR NOT BLACK LISTED

То	
	The Principal
	Bamra Trust Fund College, Bamra , Sambalpur, 768221
Sub:	Self-declaration for not being blacklisted.
Sir,	
Centra	I/Wehereby confirm our firm has not been banned/ blacklisted/ debarred/ suspended by the world Bank / al Govt/ State Govt/ Central or State PSU Organisation/ Central or State Govt. rsities or College.

Yours Faithfully,

Authorised Signatory of the firm with date and seal